Author Index to Volume 162

Abe, H. and H. Hayashi, External magnetic field effects on chemiluminescence intensities from $C_2(d)$ and CN(B) states in low pressure C_2H_2/N, O flames 162 (1992) 225
Avdievich, N.I., see E.G. Bagryanskaya 162 (1992) 213

Baba, M., see H. Katô 162 (1992) 107
Bagryanskaya, E.G., see I.V. Koptyug 162 (1992) 165
Bagryanskaya, E.G., V.F. Tarasov, N.I. Avdievich and I.A. Shkrob, Electron spin exchange in micellized radical pairs. III. ^{13}C low -field radio frequency stimulated nuclear polarization spectroscopy (LF SNP) 162 (1992) 213
Basu, S., D. Nath, M. Chowdhury and M.A. Winnik, Magnetic field effects in a polymer-chain-linked donor–acceptor system 162 (1992) 145
Batchelor, S.N., H. Heikkilä, C.W.M. Kay, K.A. McLauchlan and I.A. Shkrob, Chemically induced dynamic electron polarization (CIDEP) in systems involving radical-ion pairs generated from singlet exciplexes; observation of positive electron exchange interactions 162 (1992) 29
Batova, E.E., see V.Ya. Shafirovich 162 (1992) 155
Bodeur, S., A.P. Hitchcock and N. Kosugi, Inner-shell spectroscopy of SF_4: theory and experiment 162 (1992) 293
Braga, M. and S. Larsson, Through-bond interactions in the lone-pair ionization of *p*-benzoquinone 162 (1992) 369
Brenner, V., S. Martrenchard, P. Millie, C. Jouvet, C. Lardeux-Dedonder and D. Solgadi, Theoretical interpretation of the stability of "anomalously" small doubly charged paradifluorobenzene clusters 162 (1992) 303
Buchachenko, A.L., see E.N. Step 162 (1992) 189

Chang, K.-M., see Y.-W. Hsiao 162 (1992) 335
Chowdhury, M., see S. Basu 162 (1992) 145
Cozzi, M., see S. Ronco 162 (1992) 95

Davis, S.L. and W.R. Entley, The torsional dependence of an interaction potential: the CH_3OH–He system 162 (1992) 285
Degen, J., K. Reinecke and H.-H. Schmidtke, On the use of the thermal lens effect for measuring absolute luminescence quantum yields of transition metal complexes 162 (1992) 419
Determan, D.A., see G.P. Perram 162 (1992) 427
Doktorov, A.B., see I.V. Koptyug 162 (1992) 165
Domcke, W., see C. Woywod 162 (1992) 349
Dorian, J.A., see G.P. Perram 162 (1992) 427
Dutt, A.K., Equilibrium and nonequilibrium steady states in the reversible Oregonator model 162 (1992) 265

Entley, W.R., see S.L. Davis 162 (1992) 285

Ferraudi, G., see S. Ronco 162 (1992) 95
Frankevich, E.L., A.A. Lymarev and I.A. Sokolik, CT-excitons and magnetic field effect in polydiacetylene crystals 162 (1992) 1
Fujimura, Y., H. Hayashi and S. Nagakura, Mechanism of external magnetic field dependent fluorescence decays of gaseous carbon disulfide 162 (1992) 205
Fülscher, M.P., see P.-Å. Malmqvist 162 (1992) 359

Gopalakrishnan, R., see J.W. Harrell Jr. 162 (1992) 413
Gopidas, K.R., see N.J. Turro 162 (1992) 131

Hannongbua, S. and B.M. Rode, Monte Carlo simulations of a magnesium ion in liquid ammonia 162 (1992) 257
Hanson, D.M., D.A. Lapiano-Smith, K. Lee, C.I. Ma and D.Y. Kim, Examination of the pathways in the soft X-ray (530.8 eV) induced fragmentation of O_2 by electron–ion coincidence measurements 162 (1992) 439
Harrell Jr., J.W. and R. Gopalakrishnan, A relaxation time study of molecular motions in the glass and crystalline phases of 1,6-hexanediol dimethacrylate 162 (1992) 413
Hata, N., Photochemical reaction of 4-methyl-2-quinolinecarbonitrile with optically active (S)- or (R)-2-phenylpropionic acid. The magnetic-field and solvent effects and chiral-symmetry breaking 162 (1992) 47
Hayashi, H., see Y. Sakaguchi 162 (1992) 119
Hayashi, H., see Y. Fujimura 162 (1992) 205
Hayashi, H., see H. Abe 162 (1992) 225
Heikkilä, H., see S.N. Batchelor 162 (1992) 29
Hitchcock, A.P., see S. Bodeur 162 (1992) 293
Hizhnyakov, V., K. Seranski and U. Schurath, Homogeneous lineshapes and shifts of the $b\,^1\Sigma^+ \leftarrow X\,^3\Sigma^-$ transition in matrix-isolated NH: comparison with quadratic coupling theory 162 (1992) 249
Hsiao, Y.-W., K.-M. Chang and T.-M. Su, Theoretical study of the neutral and ionic states of hypermetalated potassium compounds K_2OH and K_2NH_2 and potassium complexes KH_2O and KNH_3 162 (1992) 335

Ishikawa, K., see H. Katô 162 (1992) 107
Itoh, M., see Y. Tanimoto 162 (1992) 7

Jinda, C., see Y. Tanimoto 162 (1992) 7
Jouvet, C., see V. Brenner 162 (1992) 303

Katô, H., T. Kobayashi, Y.C. Wang, K. Ishikawa, M. Baba and S. Nagakura, Magnetic predissociation of the $D\,^1\Sigma_u^+$ state of the cesium molecule 162 (1992) 107
Kay, C.W.M., see S.N. Batchelor 162 (1992) 29
Khudyakov, I.V., see N.J. Turro 162 (1992) 131
Kim, D.Y., see D.M. Hanson 162 (1992) 439
Kobayashi, T., see H. Katô 162 (1992) 107

Koptyug, I.V., N.N. Lukzen, E.G. Bagryanskaya, A.B. Doktorov and R.Z. Sagdeev, Calculation of stimulated nuclear polarization in short-lived biradicals and comparison with experiment 162 (1992) 165
Kosugi, N., see S. Bodeur 162 (1992) 293
Kuntz, P.J., see W.N. Whitton 162 (1992) 379
Kuzmin, V.A., see P.P. Levin 162 (1992) 79
Kyotani, M., see Y. Tanimoto 162 (1992) 7

Lapiano-Smith, D.A., see D.M. Hanson 162 (1992) 439
Lardeux-Dedonder, C., see V. Brenner 162 (1992) 303
Larsson, S., see M. Braga 162 (1992) 369
Lee, K., see D.M. Hanson 162 (1992) 439
Levin, P.P. and V.A. Kuzmin, Magnetic field, additive and structural effects on the decay kinetics of micellized triplet radical pairs. Role of diffusion, spin–orbit coupling and paramagnetic relaxation 162 (1992) 79
Levin, P.P., see V.Ya. Shafirovich 162 (1992) 155
Lin, M.C., see T. Yu 162 (1992) 449
Lowe, B.F., see G.P. Perram 162 (1992) 427
Lukzen, N.N., see I.V. Koptyug 162 (1992) 165
Lymarev, A.A., see E.L. Frankevich 162 (1992) 1

Ma, C.I., see D.M. Hanson 162 (1992) 439
Mahling, S., see W.N. Whitton 162 (1992) 379
Malmqvist, P.-Å., B.O. Roos, M.P. Fülscher and A.P. Rendell, An ab initio quantum chemical study of vertically excited singlet states of pyrimidine 162 (1992) 359
Marathe, V.R., see K. Murali Krishna 162 (1992) 401
Martrenchard, S., see V. Brenner 162 (1992) 303
Matsuo, T., see H. Yonemura 162 (1992) 69
McLauchlan, K.A., see S.N. Batchelor 162 (1992) 29
Millie, P., see V. Brenner 162 (1992) 303
Mishra, M.K., see K. Murali Krishna 162 (1992) 401
Murali Krishna, K., M. Sharon, M.K. Mishra and V.R. Marathe, Theoretical investigation of optimal mixing ratio for PbO_2 and TiO_2 to produce a low-band-gap non-corrosive photoelectrode 162 (1992) 401

Nagakura, S., see H. Katô 162 (1992) 107
Nagakura, S., see M. Okazaki 162 (1992) 177
Nagakura, S., see Y. Fujimura 162 (1992) 205
Nakamura, H., see H. Yonemura 162 (1992) 69
Nath, D., see S. Basu 162 (1992) 145
Nebot-Gil, I., see L. Serrano-Andrés 162 (1992) 321
Nunome, K., see M. Okazaki 162 (1992) 177

Ohta, N. and T. Takemura, Singlet–triplet interaction and magnetic field effects on fluorescence in pyrimidine vapor 162 (1992) 15
Okazaki, M., Y. Tai, K. Nunome, K. Toriyama and S. Nagakura, Hyperfine versus relaxation mechanisms of the magnetic field effect on recombination fluorescence of geminate pairs 162 (1992) 177

Parson, R., On the construction and interpretation of Coriolis-adapted normal modes 162 (1992) 235
Perkovic, M., see S. Ronco 162 (1992) 95
Perram, G.P., D.A. Determan, J.A. Dorian, B.F. Lowe and T.L. Thompson, Radial diffusion between coaxial cylinders and surface deactivation of $O_2(b\,^1\Sigma_g^+)$ 162 (1992) 427
Pou-Amérigo, R., see L. Serrano-Andrés 162 (1992) 321

Reinecke, K., see J. Degen 162 (1992) 419
Rendell, A.P., see P.-Å. Malmqvist 162 (1992) 359
Rode, B.M., see S. Hannongbua 162 (1992) 257
Røeggen, I., An analysis of electron donor–acceptor complexes: BH_3CO and BH_3NH_3 162 (1992) 271
Ronco, S., M. Perkovic, G. Ferraudi and M. Cozzi, Magnetic field perturbation of the doublet states in Cr(III) complexes with quadratic and cubic symmetries. A study on the role of levels having $^2T_{1g}$ parentage 162 (1992) 95
Roos, B.O., see P.-Å. Malmqvist 162 (1992) 359

Sagdeev, R.Z., see I.V. Koptyug 162 (1992) 165
Saito, Y., see N. Sato 162 (1992) 433
Sakaguchi, Y. and H. Hayashi, Internal magnetic field effect of transition metal ions on the photochemical reaction of naphthoquinone in micelles 162 (1992) 119
Sánchez de Merás, A., see L. Serrano-Andrés 162 (1992) 321
Sato, N., Y. Saito and H. Shinohara, Threshold ionization energy of C_{60} in the solid state 162 (1992) 433
Schmidtke, H.-H., see J. Degen 162 (1992) 419
Schurath, U., see V. Hizhnyakov 162 (1992) 249
Seranski, K., see V. Hizhnyakov 162 (1992) 249
Serrano-Andrés, L., A. Sánchez de Merás, R. Pou-Amérigo and I. Nebot-Gil, A multiconfigurational study of low-lying electronic states of KO 162 (1992) 321
Shafirovich, V.Ya., E.E. Batova and P.P. Levin, Solvent effects on the magnetic field dependent recombination kinetics of the Zn-porphyrin–viologen dyad radical ion pair state 162 (1992) 155
Sharon, M., see K. Murali Krishna 162 (1992) 401
Shinohara, H., see N. Sato 162 (1992) 433
Shkrob, I.A., see S.N. Batchelor 162 (1992) 29
Shkrob, I.A., see E.G. Bagryanskaya 162 (1992) 213
Sokolik, I.A., see E.L. Frankevich 162 (1992) 1
Solgadi, D., see V. Brenner 162 (1992) 303
Steiner, U.E. and J.Q. Wu, Electron spin relaxation of photochemically generated radical pairs diffusing in micellar supercages 162 (1992) 53
Step, E.N., A.L. Buchachenko and N.J. Turro, Magnetic effects in the photolysis of micellar solutions of phenacylphenylsulfone 162 (1992) 189
Su, T.-M., see Y.-W. Hsiao 162 (1992) 335

Tai, Y., see M. Okazaki 162 (1992) 177
Takase, S., see Y. Tanimoto 162 (1992) 7
Takemura, T., see N. Ohta 162 (1992) 15
Tanimoto, Y., S. Takase, C. Jinda, M. Kyotani and M. Itoh, Laser flash photolysis studies of magnetic field effects on the hydrogen abstraction reaction of quinoline in micellar solution 162 (1992) 7

Tarasov, V.F., see E.G. Bagryanskaya 162 (1992) 213
Thompson, T.L., see G.P. Perram 162 (1992) 427
Toriyama, K., see M. Okazaki 162 (1992) 177
Turro, N.J., I.V. Khudyakov and K.R. Gopidas, A laser flash photolysis study of magnetic field effects in photoinduced electron transfer between $Ru(bpy)_3^{2+}$ and N,N′-dimethylviologen in micellar solutions 162 (1992) 131
Turro, N.J., see E.N. Step 162 (1992) 189

Wang, Y.C., see H. Katô 162 (1992) 107
Whitton, W.N., S. Mahling and P.J. Kuntz, DIM potential energy surfaces for $OH_2^+(^4A'')$ 162 (1992) 379
Wight, C.A., A statistical model of solid state chain reactions 162 (1992) 393
Winnik, M.A., see S. Basu 162 (1992) 145
Woywod, C. and W. Domcke, Theoretical study of the photoelectron spectrum of allene 162 (1992) 349
Wu, J.Q., see U.E. Steiner 162 (1992) 53

Yang, D.L., see T. Yu 162 (1992) 449
Yonemura, H., H. Nakamura and T. Matsuo, Magnetic field effects on photoinduced electron transfer and the succeeding processes in phenothiazine–viologen linked compounds incorporated into cyclodextrins or reversed micelles 162 (1992) 69
Yu, T., D.L. Yang and M.C. Lin, Kinetics of CN radical reactions with selected cycloalkanes: CN reactivity towards secondary C–H bonds 162 (1992) 449

Subject Index to Volume 162

Methods

Theoretical

Group theory and algebras
On the construction and interpretation of Coriolis-adapted normal modes, R. Parson 162 (1992) 235

Classical mechanics
On the construction and interpretation of Coriolis-adapted normal modes, R. Parson 162 (1992) 235

Coupling schemes and perturbative treatments
Mechanism of external magnetic field dependent fluorescence decays of gaseous carbon disulfide, Y. Fujimura, H. Hayashi and S. Nagakura 162 (1992) 205
Homogeneous lineshapes and shifts of the b $^1\Sigma^+ \leftarrow$ X $^3\Sigma^-$ transition in matrix-isolated NH: comparison with quadratic coupling theory, V. Hizhnyakov, K. Seranski and U. Schurath 162 (1992) 249

Equilibrium statistical mechanics
Monte Carlo simulations of a magnesium ion in liquid ammonia, S. Hannongbua and B.M. Rode 162 (1992) 257

Non-equilibrium thermodynamic and hydrodynamic theories
Equilibrium and nonequilibrium steady states in the reversible Oregonator model, A.K. Dutt 162 (1992) 265

Ab initio schemes for stationary properties
An analysis of electron donor–acceptor complexes: BH_3CO and BH_3NH_3, I. Røeggen 162 (1992) 271
The torsional dependence of an interaction potential: the CH_3OH–He system, S.L. Davis and W.R. Entley 162 (1992) 285
Inner-shell spectroscopy of SF_4: theory and experiment, S. Bodeur, A.P. Hitchcock and N. Kosugi 162 (1992) 293
Theoretical interpretation of the stability of "anomalously" small doubly charged para-difluorobenzene clusters, V. Brenner, S. Martrenchard, P. Millie, C. Jouvet, C. Lardeux-Dedonder and D. Solgadi 162 (1992) 303
A multiconfigurational study of low-lying electronic states of KO, L. Serrano-Andrés, A. Sánchez de Merás, R. Pou-Amérigo and I. Nebot-Gil 162 (1992) 321
Theoretical study of the neutral and ionic states of hypermetalated potassium compounds K_2OH and K_2NH_2 and potassium complexes KH_2O and KNH_3, Y.-W. Hsiao, K.-M. Chang and T.-M. Su 162 (1992) 335
Theoretical study of the photoelectron spectrum of allene, C. Woywod and W. Domcke 162 (1992) 349
An ab initio quantum chemical study of vertically excited singlet states of pyrimidine, P.-Å. Malmqvist, B.O. Roos, M.P. Fülscher and A.P. Rendell 162 (1992) 359

Through-bond interactions in the lone-pair ionization of *p*-benzoquinone, M. Braga and S. Larsson 162 (1992) 369

Computational and simulation methods

Electron spin relaxation of photochemically generated radical pairs diffusing in micellar supercages, U.E. Steiner and J.Q. Wu 162 (1992) 53

Calculation of stimulated nuclear polarization in short-lived biradicals and comparison with experiment, I.V. Koptyug, N.N. Lukzen, E.G. Bagryanskaya, A.B. Doktorov and R.Z. Sagdeev 162 (1992) 165

Electron spin exchange in micellized radical pairs. III. ^{13}C low -field radio frequency stimulated nuclear polarization spectroscopy (LF SNP), E.G. Bagryanskaya, V.F. Tarasov, N.I. Avdievich and I.A. Shkrob 162 (1992) 213

Monte Carlo simulations of a magnesium ion in liquid ammonia, S. Hannongbua and B.M. Rode 162 (1992) 257

An analysis of electron donor–acceptor complexes: BH_3CO and BH_3NH_3, I. Røeggen 162 (1992) 271

The torsional dependence of an interaction potential: the CH_3OH–He system, S.L. Davis and W.R. Entley 162 (1992) 285

DIM potential energy surfaces for OH_2^+ ($^4A''$), W.N. Whitton, S. Mahling and P.J. Kuntz 162 (1992) 379

A statistical model of solid state chain reactions, C.A. Wight 162 (1992) 393

Theoretical investigation of optimal mixing ratio for PbO_2 and TiO_2 to produce a low-band-gap non-corrosive photoelectrode, K. Murali Krishna, M. Sharon, M.K. Mishra and V.R. Marathe 162 (1992) 401

Molecular dynamics and scattering theory

DIM potential energy surfaces for OH_2^+ ($^4A''$), W.N. Whitton, S. Mahling and P.J. Kuntz 162 (1992) 379

Experimental

Magnetic resonances

Chemically induced dynamic electron polarization (CIDEP) in systems involving radical-ion pairs generated from singlet exciplexes; observation of positive electron exchange interactions, S.N. Batchelor, H. Heikkilä, C.W.M. Kay, K.A. McLauchlan and I.A. Shkrob 162 (1992) 29

Internal magnetic field effect of transition metal ions on the photochemical reaction of naphthoquinone in micelles, Y. Sakaguchi and H. Hayashi 162 (1992) 119

Calculation of stimulated nuclear polarization in short-lived biradicals and comparison with experiment, I.V. Koptyug, N.N. Lukzen, E.G. Bagryanskaya, A.B. Doktorov and R.Z. Sagdeev 162 (1992) 165

Hyperfine versus relaxation mechanisms of the magnetic field effect on recombination fluorescence of geminate pairs, M. Okazaki, Y. Tai, K. Nunome, K. Toriyama and S. Nagakura 162 (1992) 177

Magnetic effects in the photolysis of micellar solutions of phenacylphenylsulfone, E.N. Step, A.L. Buchachenko and N.J. Turro 162 (1992) 189

Electron spin exchange in micellized radical pairs. III. ^{13}C low -field radio frequency stimulated nuclear polarization spectroscopy (LF SNP), E.G. Bagryanskaya, V.F. Tarasov, N.I. Avdievich and I.A. Shkrob 162 (1992) 213

A relaxation time study of molecular motions in the glass and crystalline phases of 1,6-hexanediol dimethacrylate, J.W. Harrell Jr. and R. Gopalakrishnan 162 (1992) 413

Visible and UV spectroscopy
Magnetic field perturbation of the doublet states in Cr(III) complexes with quadratic and cubic symmetries. A study on the role of levels having $^2T_{1g}$ parentage, S. Ronco, M. Perkovic, G. Ferraudi and M. Cozzi 162 (1992) 95
Magnetic predissociation of the D $^1\Sigma_u^+$ state of the cesium molecule, H. Katô, T. Kobayashi, Y.C. Wang, K. Ishikawa, M. Baba and S. Nagakura 162 (1992) 107
Internal magnetic field effect of transition metal ions on the photochemical reaction of naphthoquinone in micelles, Y. Sakaguchi and H. Hayashi 162 (1992) 119
Magnetic effects in the photolysis of micellar solutions of phenacylphenylsulfone, E.N. Step, A.L. Buchachenko and N.J. Turro 162 (1992) 189
External magnetic field effects on chemiluminescence intensities from C_2(d) and CN(B) states in low pressure C_2H_2/N, O flames, H. Abe and H. Hayashi 162 (1992) 225
Homogeneous lineshapes and shifts of the b $^1\Sigma^+ \leftarrow$ X $^3\Sigma^-$ transition in matrix-isolated NH: comparison with quadratic coupling theory, V. Hizhnyakov, K. Seranski and U. Schurath 162 (1992) 249

Fluorescence spectroscopy
Singlet–triplet interaction and magnetic field effects on fluorescence in pyrimidine vapor, N. Ohta and T. Takemura 162 (1992) 15
Magnetic field perturbation of the doublet states in Cr(III) complexes with quadratic and cubic symmetries. A study on the role of levels having $^2T_{1g}$ parentage, S. Ronco, M. Perkovic, G. Ferraudi and M. Cozzi 162 (1992) 95
Magnetic predissociation of the D $^1\Sigma_u^+$ state of the cesium molecule, H. Katô, T. Kobayashi, Y.C. Wang, K. Ishikawa, M. Baba and S. Nagakura 162 (1992) 107
Magnetic field effects in a polymer-chain-linked donor–acceptor system, S. Basu, D. Nath, M. Chowdhury and M.A. Winnik 162 (1992) 145
On the use of the thermal lens effect for measuring absolute luminescence quantum yields of transition metal complexes, J. Degen, K. Reinecke and H.-H. Schmidtke 162 (1992) 419
Radial diffusion between coaxial cylinders and surface deactivation of O_2(b $^1\Sigma_g^+$), G.P. Perram, D.A. Determan, J.A. Dorian, B.F. Lowe and T.L. Thompson 162 (1992) 427

Photoelectron and Auger spectroscopy
Threshold ionization energy of C_{60} in the solid state, N. Sato, Y. Saito and H. Shinohara 162 (1992) 433

X-ray spectroscopy
Examination of the pathways in the soft X-ray (530.8 eV) induced fragmentation of O_2 by electron–ion coincidence measurements, D.M. Hanson, D.A. Lapiano-Smith, K. Lee, C.I. Ma and D.Y. Kim 162 (1992) 439

Electron impact spectroscopy
Inner-shell spectroscopy of SF_4: theory and experiment, S. Bodeur, A.P. Hitchcock and N. Kosugi 162 (1992) 293

Laser methods
Magnetic field effects on photoinduced electron transfer and the succeeding processes in phenothiazine–viologen linked compounds incorporated into cyclodextrins or reversed micelles , H. Yonemura, H. Nakamura and T. Matsuo 162 (1992) 69

Magnetic field, additive and structural effects on the decay kinetics of micellized triplet radical pairs. Role of diffusion, spin–orbit coupling and paramagnetic relaxation, P.P. Levin and V.A. Kuzmin 162 (1992) 79
Solvent effects on the magnetic field dependent recombination kinetics of the Zn-porphyrin–viologen dyad radical ion pair state, V.Ya. Shafirovich, E.E. Batova and P.P. Levin 162 (1992) 155
Electron spin exchange in micellized radical pairs. III. ^{13}C low -field radio frequency stimulated nuclear polarization spectroscopy (LF SNP), E.G. Bagryanskaya, V.F. Tarasov, N.I. Avdievich and I.A. Shkrob 162 (1992) 213
On the use of the thermal lens effect for measuring absolute luminescence quantum yields of transition metal complexes, J. Degen, K. Reinecke and H.-H. Schmidtke 162 (1992) 419
Kinetics of CN radical reactions with selected cycloalkanes: CN reactivity towards secondary C–H bonds, T. Yu, D.L. Yang and M.C. Lin 162 (1992) 449

Picosecond spectroscopy
Mechanism of external magnetic field dependent fluorescence decays of gaseous carbon disulfide, Y. Fujimura, H. Hayashi and S. Nagakura 162 (1992) 205

Synchrotron spectroscopies
Inner-shell spectroscopy of SF_4: theory and experiment, S. Bodeur, A.P. Hitchcock and N. Kosugi 162 (1992) 293

Atomic and molecular beam techniques
Theoretical interpretation of the stability of "anomalously" small doubly charged paradifluorobenzene clusters, V. Brenner, S. Martrenchard, P. Millie, C. Jouvet, C. Lardeux-Dedonder and D. Solgadi 162 (1992) 303

Time-resolved experiments
Laser flash photolysis studies of magnetic field effects on the hydrogen abstraction reaction of quinoline in micellar solution, Y. Tanimoto, S. Takase, C. Jinda, M. Kyotani and M. Itoh 162 (1992) 7
Magnetic field, additive and structural effects on the decay kinetics of micellized triplet radical pairs. Role of diffusion, spin–orbit coupling and paramagnetic relaxation, P.P. Levin and V.A. Kuzmin 162 (1992) 79
Magnetic predissociation of the D $^1\Sigma_u^+$ state of the cesium molecule, H. Katô, T. Kobayashi, Y.C. Wang, K. Ishikawa, M. Baba and S. Nagakura 162 (1992) 107
Internal magnetic field effect of transition metal ions on the photochemical reaction of naphthoquinone in micelles, Y. Sakaguchi and H. Hayashi 162 (1992) 119
A laser flash photolysis study of magnetic field effects in photoinduced electron transfer between $Ru(bpy)_3^{2+}$ and N,N′-dimethylviologen in micellar solutions, N.J. Turro, I.V. Khudyakov and K.R. Gopidas 162 (1992) 131
Electron spin exchange in micellized radical pairs. III. ^{13}C low -field radio frequency stimulated nuclear polarization spectroscopy (LF SNP), E.G. Bagryanskaya, V.F. Tarasov, N.I. Avdievich and I.A. Shkrob 162 (1992) 213
Kinetics of CN radical reactions with selected cycloalkanes: CN reactivity towards secondary C–H bonds, T. Yu, D.L. Yang and M.C. Lin 162 (1992) 449

Radiolysis
Hyperfine versus relaxation mechanisms of the magnetic field effect on recombination fluorescence of geminate pairs, M. Okazaki, Y. Tai, K. Nunome, K. Toriyama and S. Nagakura 162 (1992) 177

Measurement of macroscopic variables
CT-excitons and magnetic field effect in polydiacetylene crystals, E.L. Frankevich, A.A. Lymarev and I.A. Sokolik 162 (1992) 1
Photochemical reaction of 4-methyl-2-quinolinecarbonitrile with optically active (S)- or (R)-2-phenylpropionic acid. The magnetic-field and solvent effects and chiral-symmetry breaking, N. Hata 162 (1992) 47

Objects

Bulk systems

Gases
External magnetic field effects on chemiluminescence intensities from $C_2(d)$ and CN(B) states in low pressure C_2H_2/N, O flames, H. Abe and H. Hayashi 162 (1992) 225
Kinetics of CN radical reactions with selected cycloalkanes: CN reactivity towards secondary C–H bonds, T. Yu, D.L. Yang and M.C. Lin 162 (1992) 449

Supersonic beams
Singlet–triplet interaction and magnetic field effects on fluorescence in pyrimidine vapor, N. Ohta and T. Takemura 162 (1992) 15
Theoretical interpretation of the stability of "anomalously" small doubly charged paradifluorobenzene clusters, V. Brenner, S. Martrenchard, P. Millie, C. Jouvet, C. Lardeux-Dedonder and D. Solgadi 162 (1992) 303
Examination of the pathways in the soft X-ray (530.8 eV) induced fragmentation of O_2 by electron–ion coincidence measurements, D.M. Hanson, D.A. Lapiano-Smith, K. Lee, C.I. Ma and D.Y. Kim 162 (1992) 439

Liquids neat
A relaxation time study of molecular motions in the glass and crystalline phases of 1,6-hexanediol dimethacrylate, J.W. Harrell Jr. and R. Gopalakrishnan 162 (1992) 413

Liquids mixtures and solutions
Laser flash photolysis studies of magnetic field effects on the hydrogen abstraction reaction of quinoline in micellar solution, Y. Tanimoto, S. Takase, C. Jinda, M. Kyotani and M. Itoh 162 (1992) 7
Photochemical reaction of 4-methyl-2-quinolinecarbonitrile with optically active (S)- or (R)-2-phenylpropionic acid. The magnetic-field and solvent effects and chiral-symmetry breaking, N. Hata 162 (1992) 47
Magnetic field effects on photoinduced electron transfer and the succeeding processes in phenothiazine–viologen linked compounds incorporated into cyclodextrins or reversed micelles , H. Yonemura, H. Nakamura and T. Matsuo 162 (1992) 69
Magnetic field perturbation of the doublet states in Cr(III) complexes with quadratic and cubic symmetries. A study on the role of levels having $^2T_{1g}$ parentage, S. Ronco, M. Perkovic, G. Ferraudi and M. Cozzi 162 (1992) 95

A laser flash photolysis study of magnetic field effects in photoinduced electron transfer between $Ru(bpy)_3^{2+}$ and N,N'-dimethylviologen in micellar solutions, N.J. Turro, I.V. Khudyakov and K.R. Gopidas 162 (1992) 131
Monte Carlo simulations of a magnesium ion in liquid ammonia, S. Hannongbua and B.M. Rode 162 (1992) 257
On the use of the thermal lens effect for measuring absolute luminescence quantum yields of transition metal complexes, J. Degen, K. Reinecke and H.-H. Schmidtke 162 (1992) 419

Chrystals

–neat
A relaxation time study of molecular motions in the glass and crystalline phases of 1,6-hexanediol dimethacrylate, J.W. Harrell Jr. and R. Gopalakrishnan 162 (1992) 413
Threshold ionization energy of C_{60} in the solid state, N. Sato, Y. Saito and H. Shinohara 162 (1992) 433

Glasses
Magnetic field perturbation of the doublet states in Cr(III) complexes with quadratic and cubic symmetries. A study on the role of levels having $^2T_{1g}$ parentage, S. Ronco, M. Perkovic, G. Ferraudi and M. Cozzi 162 (1992) 95
A statistical model of solid state chain reactions, C.A. Wight 162 (1992) 393
A relaxation time study of molecular motions in the glass and crystalline phases of 1,6-hexanediol dimethacrylate, J.W. Harrell Jr. and R. Gopalakrishnan 162 (1992) 413

Polymers
CT-excitons and magnetic field effect in polydiacetylene crystals, E.L. Frankevich, A.A. Lymarev and I.A. Sokolik 162 (1992) 1
Magnetic field effects in a polymer-chain-linked donor–acceptor system, S. Basu, D. Nath, M. Chowdhury and M.A. Winnik 162 (1992) 145

Semiconductors
Theoretical investigation of optimal mixing ratio for PbO_2 and TiO_2 to produce a low-band-gap non-corrosive photoelectrode, K. Murali Krishna, M. Sharon, M.K. Mishra and V.R. Marathe 162 (1992) 401

Thin films
A statistical model of solid state chain reactions, C.A. Wight 162 (1992) 393

Low-dimensional materials
CT-excitons and magnetic field effect in polydiacetylene crystals, E.L. Frankevich, A.A. Lymarev and I.A. Sokolik 162 (1992) 1

Microscopic systems

Atoms
A multiconfigurational study of low-lying electronic states of KO, L. Serrano-Andrés, A. Sánchez de Merás, R. Pou-Amérigo and I. Nebot-Gil 162 (1992) 321

Molecules (neutral and ionic)
Solvent effects on the magnetic field dependent recombination kinetics of the Zn-porphyrin–viologen dyad radical ion pair state, V.Ya. Shafirovich, E.E. Batova and P.P. Levin 162 (1992) 155
Theoretical interpretation of the stability of "anomalously" small doubly charged paradifluorobenzene clusters, V. Brenner, S. Martrenchard, P. Millie, C. Jouvet, C. Lardeux-Dedonder and D. Solgadi 162 (1992) 303
On the use of the thermal lens effect for measuring absolute luminescence quantum yields of transition metal complexes, J. Degen, K. Reinecke and H.-H. Schmidtke 162 (1992) 419

–diatomic
Magnetic predissociation of the D $^1\Sigma_u^+$ state of the cesium molecule, H. Katô, T. Kobayashi, Y.C. Wang, K. Ishikawa, M. Baba and S. Nagakura 162 (1992) 107
Homogeneous lineshapes and shifts of the b $^1\Sigma^+ \leftarrow$ X $^3\Sigma^-$ transition in matrix-isolated NH: comparison with quadratic coupling theory, V. Hizhnyakov, K. Seranski and U. Schurath 162 (1992) 249
A multiconfigurational study of low-lying electronic states of KO, L. Serrano-Andrés, A. Sánchez de Merás, R. Pou-Amérigo and I. Nebot-Gil 162 (1992) 321
Radial diffusion between coaxial cylinders and surface deactivation of $O_2(b\,^1\Sigma_g^+)$, G.P. Perram, D.A. Determan, J.A. Dorian, B.F. Lowe and T.L. Thompson 162 (1992) 427
Examination of the pathways in the soft X-ray (530.8 eV) induced fragmentation of O_2 by electron–ion coincidence measurements, D.M. Hanson, D.A. Lapiano-Smith, K. Lee, C.I. Ma and D.Y. Kim 162 (1992) 439

–small polyatomics
Mechanism of external magnetic field dependent fluorescence decays of gaseous carbon disulfide, Y. Fujimura, H. Hayashi and S. Nagakura 162 (1992) 205
On the construction and interpretation of Coriolis-adapted normal modes, R. Parson 162 (1992) 235
Inner-shell spectroscopy of SF_4: theory and experiment, S. Bodeur, A.P. Hitchcock and N. Kosugi 162 (1992) 293
Theoretical study of the neutral and ionic states of hypermetalated potassium compounds K_2OH and K_2NH_2 and potassium complexes KH_2O and KNH_3, Y.-W. Hsiao, K.-M. Chang and T.-M. Su 162 (1992) 335
Theoretical study of the photoelectron spectrum of allene, C. Woywod and W. Domcke 162 (1992) 349
DIM potential energy surfaces for OH_2^+ ($^4A''$), W.N. Whitton, S. Mahling and P.J. Kuntz 162 (1992) 379

–aromatics
Singlet–triplet interaction and magnetic field effects on fluorescence in pyrimidine vapor, N. Ohta and T. Takemura 162 (1992) 15
Chemically induced dynamic electron polarization (CIDEP) in systems involving radical-ion pairs generated from singlet exciplexes; observation of positive electron exchange interactions, S.N. Batchelor, H. Heikkilä, C.W.M. Kay, K.A. McLauchlan and I.A. Shkrob 162 (1992) 29
Photochemical reaction of 4-methyl-2-quinolinecarbonitrile with optically active (S)- or (R)-2-phenylpropionic acid. The magnetic-field and solvent effects and chiral-symmetry breaking, N. Hata 162 (1992) 47
An ab initio quantum chemical study of vertically excited singlet states of pyrimidine, P.-Å. Malmqvist, B.O. Roos, M.P. Fülscher and A.P. Rendell 162 (1992) 359
Through-bond interactions in the lone-pair ionization of *p*-benzoquinone, M. Braga and S. Larsson 162 (1992) 369

Molecular aggregates
Magnetic field effects on photoinduced electron transfer and the succeeding processes in phenothiazine–viologen linked compounds incorporated into cyclodextrins or reversed micelles , H. Yonemura, H. Nakamura and T. Matsuo 162 (1992) 69

–van der Waals molecules
An analysis of electron donor–acceptor complexes: BH_3CO and BH_3NH_3, I. Røeggen 162 (1992) 271

–clusters
Threshold ionization energy of C_{60} in the solid state, N. Sato, Y. Saito and H. Shinohara 162 (1992) 433

–complexes
Theoretical study of the neutral and ionic states of hypermetalated potassium compounds K_2OH and K_2NH_2 and potassium complexes KH_2O and KNH_3, Y.-W. Hsiao, K.-M. Chang and T.-M. Su 162 (1992) 335

Free radicals (including hydronium and muonium)
Chemically induced dynamic electron polarization (CIDEP) in systems involving radical-ion pairs generated from singlet exciplexes; observation of positive electron exchange interactions, S.N. Batchelor, H. Heikkilä, C.W.M. Kay, K.A. McLauchlan and I.A. Shkrob 162 (1992) 29
Electron spin relaxation of photochemically generated radical pairs diffusing in micellar supercages, U.E. Steiner and J.Q. Wu 162 (1992) 53
Magnetic field, additive and structural effects on the decay kinetics of micellized triplet radical pairs. Role of diffusion, spin–orbit coupling and paramagnetic relaxation, P.P. Levin and V.A. Kuzmin 162 (1992) 79
Internal magnetic field effect of transition metal ions on the photochemical reaction of naphthoquinone in micelles, Y. Sakaguchi and H. Hayashi 162 (1992) 119
A laser flash photolysis study of magnetic field effects in photoinduced electron transfer between $Ru(bpy)_3^{2+}$ and N,N′-dimethylviologen in micellar solutions, N.J. Turro, I.V. Khudyakov and K.R. Gopidas 162 (1992) 131
Calculation of stimulated nuclear polarization in short-lived biradicals and comparison with experiment, I.V. Koptyug, N.N. Lukzen, E.G. Bagryanskaya, A.B. Doktorov and R.Z. Sagdeev 162 (1992) 165
Hyperfine versus relaxation mechanisms of the magnetic field effect on recombination fluorescence of geminate pairs, M. Okazaki, Y. Tai, K. Nunome, K. Toriyama and S. Nagakura 162 (1992) 177
Magnetic effects in the photolysis of micellar solutions of phenacylphenylsulfone, E.N. Step, A.L. Buchachenko and N.J. Turro 162 (1992) 189
External magnetic field effects on chemiluminescence intensities from $C_2(d)$ and CN(B) states in low pressure C_2H_2/N, O flames, H. Abe and H. Hayashi 162 (1992) 225
Kinetics of CN radical reactions with selected cycloalkanes: CN reactivity towards secondary C–H bonds, T. Yu, D.L. Yang and M.C. Lin 162 (1992) 449

Defects and impurities
Homogeneous lineshapes and shifts of the $b\ ^1\Sigma^+ \leftarrow X\ ^3\Sigma^-$ transition in matrix-isolated NH: comparison with quadratic coupling theory, V. Hizhnyakov, K. Seranski and U. Schurath 162 (1992) 249

Ions and charge carriers
CT-excitons and magnetic field effect in polydiacetylene crystals, E.L. Frankevich, A.A. Lymarev and I.A. Sokolik 162 (1992) 1
Hyperfine versus relaxation mechanisms of the magnetic field effect on recombination fluorescence of geminate pairs, M. Okazaki, Y. Tai, K. Nunome, K. Toriyama and S. Nagakura 162 (1992) 177

Phenomena

Molecular structure
Monte Carlo simulations of a magnesium ion in liquid ammonia, S. Hannongbua and B.M. Rode 162 (1992) 257
An analysis of electron donor–acceptor complexes: BH_3CO and BH_3NH_3, I. Røeggen 162 (1992) 271
Theoretical study of the neutral and ionic states of hypermetalated potassium compounds K_2OH and K_2NH_2 and potassium complexes KH_2O and KNH_3, Y.-W. Hsiao, K.-M. Chang and T.-M. Su 162 (1992) 335

Vibrations and rotations of molecules
On the construction and interpretation of Coriolis-adapted normal modes, R. Parson 162 (1992) 235
Theoretical study of the neutral and ionic states of hypermetalated potassium compounds K_2OH and K_2NH_2 and potassium complexes KH_2O and KNH_3, Y.-W. Hsiao, K.-M. Chang and T.-M. Su 162 (1992) 335

Electronic structure and states
Inner-shell spectroscopy of SF_4: theory and experiment, S. Bodeur, A.P. Hitchcock and N. Kosugi 162 (1992) 293
A multiconfigurational study of low-lying electronic states of KO, L. Serrano-Andrés, A. Sánchez de Merás, R. Pou-Amérigo and I. Nebot-Gil 162 (1992) 321
An ab initio quantum chemical study of vertically excited singlet states of pyrimidine, P.-Å. Malmqvist, B.O. Roos, M.P. Fülscher and A.P. Rendell 162 (1992) 359
Through-bond interactions in the lone-pair ionization of *p*-benzoquinone, M. Braga and S. Larsson 162 (1992) 369
DIM potential energy surfaces for OH_2^+ ($^4A''$), W.N. Whitton, S. Mahling and P.J. Kuntz 162 (1992) 379
Theoretical investigation of optimal mixing ratio for PbO_2 and TiO_2 to produce a low-band-gap non-corrosive photoelectrode, K. Murali Krishna, M. Sharon, M.K. Mishra and V.R. Marathe 162 (1992) 401
Threshold ionization energy of C_{60} in the solid state, N. Sato, Y. Saito and H. Shinohara 162 (1992) 433
Examination of the pathways in the soft X-ray (530.8 eV) induced fragmentation of O_2 by electron–ion coincidence measurements, D.M. Hanson, D.A. Lapiano-Smith, K. Lee, C.I. Ma and D.Y. Kim 162 (1992) 439

Electric and magnetic properties
CT-excitons and magnetic field effect in polydiacetylene crystals, E.L. Frankevich, A.A. Lymarev and I.A. Sokolik 162 (1992) 1

Magnetic field effects on photoinduced electron transfer and the succeeding processes in phenothiazine–viologen linked compounds incorporated into cyclodextrins or reversed micelles , H. Yonemura, H. Nakamura and T. Matsuo 162 (1992) 69
Magnetic field effects in a polymer-chain-linked donor–acceptor system, S. Basu, D. Nath, M. Chowdhury and M.A. Winnik 162 (1992) 145
Magnetic effects in the photolysis of micellar solutions of phenacylphenylsulfone, E.N. Step, A.L. Buchachenko and N.J. Turro 162 (1992) 189
Mechanism of external magnetic field dependent fluorescence decays of gaseous carbon disulfide, Y. Fujimura, H. Hayashi and S. Nagakura 162 (1992) 205
An ab initio quantum chemical study of vertically excited singlet states of pyrimidine, P.-Å. Malmqvist, B.O. Roos, M.P. Fülscher and A.P. Rendell 162 (1992) 359

Spin splittings
Chemically induced dynamic electron polarization (CIDEP) in systems involving radical-ion pairs generated from singlet exciplexes; observation of positive electron exchange interactions, S.N. Batchelor, H. Heikkilä, C.W.M. Kay, K.A. McLauchlan and I.A. Shkrob 162 (1992) 29

Optical activity
Photochemical reaction of 4-methyl-2-quinolinecarbonitrile with optically active (S)- or (R)-2-phenylpropionic acid. The magnetic-field and solvent effects and chiral-symmetry breaking, N. Hata 162 (1992) 47

Molecular interactions
Electron spin relaxation of photochemically generated radical pairs diffusing in micellar supercages, U.E. Steiner and J.Q. Wu 162 (1992) 53
The torsional dependence of an interaction potential: the CH_3OH–He system, S.L. Davis and W.R. Entley 162 (1992) 285
Theoretical interpretation of the stability of "anomalously" small doubly charged paradifluorobenzene clusters, V. Brenner, S. Martrenchard, P. Millie, C. Jouvet, C. Lardeux-Dedonder and D. Solgadi 162 (1992) 303

Spectral bandshapes and intensities
Homogeneous lineshapes and shifts of the b $^1\Sigma^+ \leftarrow X\ ^3\Sigma^-$ transition in matrix-isolated NH: comparison with quadratic coupling theory, V. Hizhnyakov, K. Seranski and U. Schurath 162 (1992) 249
Theoretical study of the photoelectron spectrum of allene, C. Woywod and W. Domcke 162 (1992) 349
An ab initio quantum chemical study of vertically excited singlet states of pyrimidine, P.-Å. Malmqvist, B.O. Roos, M.P. Fülscher and A.P. Rendell 162 (1992) 359

Coupling of electronic and nuclear motion
Theoretical study of the photoelectron spectrum of allene, C. Woywod and W. Domcke 162 (1992) 349

Energy transfer processes
Electron spin relaxation of photochemically generated radical pairs diffusing in micellar supercages, U.E. Steiner and J.Q. Wu 162 (1992) 53
A laser flash photolysis study of magnetic field effects in photoinduced electron transfer between $Ru(bpy)_3^{2+}$ and N,N′-dimethylviologen in micellar solutions, N.J. Turro, I.V. Khudyakov and K.R. Gopidas 162 (1992) 131

Radial diffusion between coaxial cylinders and surface deactivation of $O_2(b\,^1\Sigma_g^+)$, G.P. Perram, D.A. Determan, J.A. Dorian, B.F. Lowe and T.L. Thompson 162 (1992) 427

Molecular photophysical processes

Singlet–triplet interaction and magnetic field effects on fluorescence in pyrimidine vapor, N. Ohta and T. Takemura 162 (1992) 15

Chemically induced dynamic electron polarization (CIDEP) in systems involving radical-ion pairs generated from singlet exciplexes; observation of positive electron exchange interactions, S.N. Batchelor, H. Heikkilä, C.W.M. Kay, K.A. McLauchlan and I.A. Shkrob 162 (1992) 29

Magnetic field effects in a polymer-chain-linked donor–acceptor system, S. Basu, D. Nath, M. Chowdhury and M.A. Winnik 162 (1992) 145

Intramolecular dynamics

–radiationless transitions

Singlet–triplet interaction and magnetic field effects on fluorescence in pyrimidine vapor, N. Ohta and T. Takemura 162 (1992) 15

Mechanism of external magnetic field dependent fluorescence decays of gaseous carbon disulfide, Y. Fujimura, H. Hayashi and S. Nagakura 162 (1992) 205

–vibrational energy redistribution (including vibrational dissociation)

On the construction and interpretation of Coriolis-adapted normal modes, R. Parson 162 (1992) 235

Luminescence spectra, yields and lifetimes

Magnetic field perturbation of the doublet states in Cr(III) complexes with quadratic and cubic symmetries. A study on the role of levels having $^2T_{1g}$ parentage, S. Ronco, M. Perkovic, G. Ferraudi and M. Cozzi 162 (1992) 95

Magnetic field effects in a polymer-chain-linked donor–acceptor system, S. Basu, D. Nath, M. Chowdhury and M.A. Winnik 162 (1992) 145

External magnetic field effects on chemiluminescence intensities from $C_2(d)$ and CN(B) states in low pressure C_2H_2/N, O flames, H. Abe and H. Hayashi 162 (1992) 225

On the use of the thermal lens effect for measuring absolute luminescence quantum yields of transition metal complexes, J. Degen, K. Reinecke and H.-H. Schmidtke 162 (1992) 419

Non-linear responses (including optical)

Equilibrium and nonequilibrium steady states in the reversible Oregonator model, A.K. Dutt 162 (1992) 265

Reactions (including dissociation)

A multiconfigurational study of low-lying electronic states of KO, L. Serrano-Andrés, A. Sánchez de Merás, R. Pou-Amérigo and I. Nebot-Gil 162 (1992) 321

–gas phase

External magnetic field effects on chemiluminescence intensities from $C_2(d)$ and CN(B) states in low pressure C_2H_2/N, O flames, H. Abe and H. Hayashi 162 (1992) 225

DIM potential energy surfaces for OH_2^+ ($^4A''$), W.N. Whitton, S. Mahling and P.J. Kuntz 162 (1992) 379

Kinetics of CN radical reactions with selected cycloalkanes: CN reactivity towards secondary C–H bonds, T. Yu, D.L. Yang and M.C. Lin 162 (1992) 449

–condensed phase
A statistical model of solid state chain reactions, C.A. Wight 162 (1992) 393
Threshold ionization energy of C_{60} in the solid state, N. Sato, Y. Saito and H. Shinohara 162 (1992) 433

–photochemical
Laser flash photolysis studies of magnetic field effects on the hydrogen abstraction reaction of quinoline in micellar solution, Y. Tanimoto, S. Takase, C. Jinda, M. Kyotani and M. Itoh 162 (1992) 7
Photochemical reaction of 4-methyl-2-quinolinecarbonitrile with optically active (S)- or (R)-2-phenylpropionic acid. The magnetic-field and solvent effects and chiral-symmetry breaking, N. Hata 162 (1992) 47
Magnetic field, additive and structural effects on the decay kinetics of micellized triplet radical pairs. Role of diffusion, spin–orbit coupling and paramagnetic relaxation, P.P. Levin and V.A. Kuzmin 162 (1992) 79
Internal magnetic field effect of transition metal ions on the photochemical reaction of naphthoquinone in micelles, Y. Sakaguchi and H. Hayashi 162 (1992) 119
Calculation of stimulated nuclear polarization in short-lived biradicals and comparison with experiment, I.V. Koptyug, N.N. Lukzen, E.G. Bagryanskaya, A.B. Doktorov and R.Z. Sagdeev 162 (1992) 165
Magnetic effects in the photolysis of micellar solutions of phenacylphenylsulfone, E.N. Step, A.L. Buchachenko and N.J. Turro 162 (1992) 189

Electron transfer
Magnetic field effects on photoinduced electron transfer and the succeeding processes in phenothiazine–viologen linked compounds incorporated into cyclodextrins or reversed micelles , H. Yonemura, H. Nakamura and T. Matsuo 162 (1992) 69
A laser flash photolysis study of magnetic field effects in photoinduced electron transfer between $Ru(bpy)_3^{2+}$ and N,N′-dimethylviologen in micellar solutions, N.J. Turro, I.V. Khudyakov and K.R. Gopidas 162 (1992) 131
Electron spin exchange in micellized radical pairs. III. ^{13}C low -field radio frequency stimulated nuclear polarization spectroscopy (LF SNP), E.G. Bagryanskaya, V.F. Tarasov, N.I. Avdievich and I.A. Shkrob 162 (1992) 213
Through-bond interactions in the lone-pair ionization of *p*-benzoquinone, M. Braga and S. Larsson 162 (1992) 369

Ionization (including Rydberg states)
Hyperfine versus relaxation mechanisms of the magnetic field effect on recombination fluorescence of geminate pairs, M. Okazaki, Y. Tai, K. Nunome, K. Toriyama and S. Nagakura 162 (1992) 177
Examination of the pathways in the soft X-ray (530.8 eV) induced fragmentation of O_2 by electron–ion coincidence measurements, D.M. Hanson, D.A. Lapiano-Smith, K. Lee, C.I. Ma and D.Y. Kim 162 (1992) 439

Molecular motion (including diffusive)
Electron spin relaxation of photochemically generated radical pairs diffusing in micellar supercages, U.E. Steiner and J.Q. Wu 162 (1992) 53

A relaxation time study of molecular motions in the glass and crystalline phases of 1,6-hexanediol dimethacrylate, J.W. Harrell Jr. and R. Gopalakrishnan 162 (1992) 413

Surface effects and catalysis
Radial diffusion between coaxial cylinders and surface deactivation of $O_2(b\,^1\Sigma_g^+)$, G.P. Perram, D.A. Determan, J.A. Dorian, B.F. Lowe and T.L. Thompson 162 (1992) 427

Thermodynamic and transport properties
Equilibrium and nonequilibrium steady states in the reversible Oregonator model, A.K. Dutt 162 (1992) 265

Structure of solids and liquids
A statistical model of solid state chain reactions, C.A. Wight 162 (1992) 393
Theoretical investigation of optimal mixing ratio for PbO_2 and TiO_2 to produce a low-band-gap non-corrosive photoelectrode, K. Murali Krishna, M. Sharon, M.K. Mishra and V.R. Marathe 162 (1992) 401

Critical phenomena
Equilibrium and nonequilibrium steady states in the reversible Oregonator model, A.K. Dutt 162 (1992) 265

Phase transitions
Equilibrium and nonequilibrium steady states in the reversible Oregonator model, A.K. Dutt 162 (1992) 265